ELSEVIER

Analytica Chimica Acta 455 (2002) 343–345

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abbaspour, A.
— and Kamyabi, M.A.
Copper(II)-selective electrode based on dithioacetal 225
Armstrong, N.R., see Skrdla, P.J. 49

Beck, N.G.
—, Franks, R.P. and Bruland, K.W.
Analysis for Cd, Cu, Ni, Zn, and Mn in estuarine water by inductively coupled plasma mass spectrometry coupled with an automated flow injection system 11
Bermejo-Barrera, A., see Bermejo-Barrera, P. 253
Bermejo-Barrera, A.M., see Bermejo-Barrera, P. 253
Bermejo-Barrera, P.
—, Moreda-Piñeiro, A., Bermejo-Barrera, A. and Bermejo-Barrera, A.M.
Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers 253
Bloomfield, M.S., see Vannecke, C. 117
Boqué, R., see Pulido, A. 267
Bruland, K.W., see Beck, N.G. 11

Cajlakovic, M.
—, Lobnik, A. and Werner, T.
Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer 207
Carewska, M., see Scaccia, S. 35
Carneiro, J.M.T.
—, Dias, A.C.B., Zagatto, E.A.G. and Honorato, R.S.
Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system 327
Carolan, V.A., see Morton, J. 23
Cerdà, V., see de Armas, G. 149
Cerdà, V., see Semenova, N.V. 277
Ch. Fiamegos, Y., see Ch. Pappas, A. 305
Ch. Pappas, A.
—, Stalikas, C.D., Ch. Fiamegos, Y. and Karayannis, M.I.
Determination of hydrogen peroxide by using a flow injection system with immobilized peroxidase and long pathlength capillary spectrophotometry 305
Chad Harrell, C., see Lipe, L.L. 287
Chalk, S.J., see Lipe, L.L. 287
Chao, J.-B., see Liu, J.-F. 93
Chen, J., see Zhu, M. 199
Cladera, A., see de Armas, G. 149
Costa-Fernández, J.M., see de la Riva, B.S.V. 179

de Armas, G.
—, Miró, M., Cladera, A., Estela, J.M. and Cerdà, V.
Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium 149
de la Riva, B.S.V.
—, Costa-Fernández, J.M., Jin, W.J., Pereiro, R. and Sanz-Medel, A.
Determination of trace levels of mercury in water samples based on room temperature phosphorescence energy transfer 179
de Saja, J.A., see Guadarrama, A. 41
Del Pilar Taboada Sotomayor, M.
—, Tanaka, A.A. and Kubota, L.T.
Development of an enzymeless biosensor for the determination of phenolic compounds 215
Dias, A.C.B., see Carneiro, J.M.T. 327

Efta, C., see Lipe, L.L. 287
Elbergali, A., see Ghasemi, J. 335
Estela, J.M., see de Armas, G. 149

Fan, J., see Feng, S. 187
Fang, C., see Li, J.-P. 53
Fell Jr., N.F., see Pellegrino, P.M. 167
Feng, S.
—, Tang, A., Jiang, J. and Fan, J.
Spectrofluorimetric determination of tannins based on their activative effect on the Cu(II) catalytic oxidation of rhodamine 6G by hydrogen peroxide 187
Fernandez-González, R.
—, García-Falcón, M.S. and Simal-Gándara, J.
Quantitative analysis for oxytetracycline in medicated premixes and feeds by second-derivative synchronous spectrofluorimetry 143
Forteza, R., see Semenova, N.V. 277
Franks, R.P., see Beck, N.G. 11
Fu, Y.
—, Wu, T., Li, B. and Sun, C.
Fabrication of a covalently attached multilayer film electrode containing cobalt phthalocyanine and its application as a potentiometric sensor of iodide ion 61

Gao, J.
—, Zhang, X., Yang, W. and Kang, J.
Highly sensitive spectrofluorimetric kinetic determination of

PII: S0003-2670(02)00096-X

ultratrace amounts of vanadium(V) based on the oxidation of 1,8-diaminonaphthalene by bromate 159
García-Falcón, M.S., see Fernandez-González, R. 143
Gardiner, P.H.E., see Morton, J. 23
Ghasemi, J.
—, Niazi, A., Kubista, M. and Elbergali, A.
Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol–water mixtures 335
Gillespie, J.B., see Pellegrino, P.M. 167
Guadarrama, A.
—, Rodríguez-Méndez, M.L. and de Saja, J.A.
Conducting polymer-based array for the discrimination of odours from trim plastic materials used in automobiles 41

Holcombe, J.A., see Miller, T.C. 233
Honorato, R.S., see Carneiro, J.M.T. 327

Jiang, G.-B., see Liu, J.-F. 93
Jiang, J., see Feng, S. 187
Jin, J., see Zhu, M. 199
Jin, L., see Zhu, M. 199
Jin, W.J., see de la Riva, B.S.V. 179

Kai, M., see Lu, J. 193
Kamyabi, M.A., see Abbaspour, A. 225
Kang, J., see Gao, J. 159
Karayannis, M.I., see Ch. Pappas, A. 305
Karlíček, R., see Šatínský, D. 103
Koshikawa, H., see Numata, M. 1
Kou, H.-S., see Lin, F.-M. 111
Koziel, K., see Wagner, K. 69
Kubista, M., see Ghasemi, J. 335
Kubota, L.T., see Del Pilar Taboada Sotomayor, M. 215

Lau, C., see Lu, J. 193
Leal, L.O., see Semenova, N.V. 277
Lee, M.K., see Lu, J. 193
Li, B., see Fu, Y. 61
Li, J.-P.
—, Peng, T.-Z. and Fang, C.
Screen-printable sol–gel ceramic carbon composite pH sensor with a receptor zeolite 53
Li, Y.-S.
—, Muo, Y. and Xie, H.-M.
Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry 315
Lin, F.-M.
—, Wu, H.-L., Kou, H.-S. and Lin, S.-J.
Ultratrace analysis for *trans,trans*-muconic acid by electrophoric derivatization and capillary gas chromatography 111
Lin, S.-J., see Lin, F.-M. 111
Lipe, L.L.
—, Purinton, S.M., Mederios, E., Chad Harrell, C., Efta, C., Murray, M., Wood, M., Portier, R.-B. and Chalk, S.J.
Development of the continuously variable volume reactor for flow injection analysis. Part 1. Design, capabilities and testing 287
Liu, J.-F.
—, Chao, J.-B. and Jiang, G.-B.
Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow liquid–liquid extraction combined with supported liquid membrane 93
Liu, M., see Zhu, M. 199
Lobnik, A., see Cajlakovic, M. 207
Lu, J.
—, Lau, C., Lee, M.K. and Kai, M.
Simple and convenient chemiluminescence method for the determination of melatonin 193

Massart, D.L., see Vannecke, C. 117
Mederios, E., see Lipe, L.L. 287
Miller, T.C.
— and Holcombe, J.A.
Characterization of metal ion-exchange on modified surfaces of porous carbon 233
Miró, M., see de Armas, G. 149
Moreda-Piñeiro, A., see Bermejo-Barrera, P. 253
Morton, J.
—, Carolan, V.A. and Gardiner, P.H.E.
Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry 23
Muo, Y., see Li, Y.-S. 315
Murakami, H., see Yamamoto, K. 83
Murray, M., see Lipe, L.L. 287

Nakamura, N., see Numata, M. 1
Niazi, A., see Ghasemi, J. 335
Numata, M.
—, Nakamura, N., Koshikawa, H. and Terashima, Y.
Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry 1

Oka, M., see Yamamoto, K. 83

Pellegrino, P.M.
—, Fell Jr., N.F. and Gillespie, J.B.
Enhanced spore detection using dipicolinate extraction techniques 167
Peng, T.-Z., see Li, J.-P. 53
Pereiro, R., see de la Riva, B.S.V. 179
Pletnev, I.V.
— and Zernov, V.V.
Classification of metal ions according to their complexing properties: a data-driven approach 131
Portier, R.-B., see Lipe, L.L. 287
Pulido, A.
—, Ruisánchez, I., Boqué, R. and Rius, F.X.
Estimating the uncertainty of binary test results to assess their compliance with regulatory limits 267
Purinton, S.M., see Lipe, L.L. 287

Rius, F.X., see Pulido, A. 267
Rodríguez-Méndez, M.L., see Guadarrama, A. 41

Ruisánchez, I., see Pulido, A. 267

Saavedra, S. Scott, see Skrdla, P.J. 49
Sanz-Medel, A., see de la Riva, B.S.V. 179
Šatínský, D.
—, Karlíček, R. and Svoboda, A.
Using on-line solid phase extraction for flow-injection spectrophotometric determination of salbutamol 103
Scaccia, S.
— and Carewska, M.
Determination of stoichiometry of $Li_{1+y}CoO_2$ materials by flame atomic absorption spectrometry and automated potentiometric titration 35
Semenova, N.V.
—, Leal, L.O., Forteza, R. and Cerdà, V.
Multisyringe flow-injection system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry 277
Shi, G., see Zhu, M. 199
Simal-Gándara, J., see Fernandez-González, R. 143
Skrdla, P.J.
—, Armstrong, N.R. and Saavedra, S. Scott
Starch-iodine films respond to water vapor 49
Spolnik, Z.
—, Zhang, J., Wagatsuma, K. and Tsuji, K.
Grazing-exit electron probe X-ray microanalysis of ultra-thin films and single particles with high-angle resolution 245
Stalikas, C.D., see Ch. Pappas, A. 305
Strojek, J.W., see Wagner, K. 69
Sun, C., see Fu, Y. 61
Svoboda, A., see Šatínský, D. 103

Tanaka, A.A., see Del Pilar Taboada Sotomayor, M. 215
Tang, A., see Feng, S. 187
Terashima, Y., see Numata, M. 1
Tsuji, K., see Spolnik, Z. 245

Vander Heyden, Y., see Vannecke, C. 117
Vannecke, C.
—, Bloomfield, M.S., Vander Heyden, Y. and Massart, D.L.
Development of a generic flow-injection analysis method for compounds with a secondary amine or amide function, using an experimental design approach. Part II. Selection and evaluation of the chemical reaction parameters 117

Wagatsuma, K., see Spolnik, Z. 245
Wagner, K.
—, Strojek, J.W. and Koziel, K.
Electrochemical and quartz crystal microbalance studies of lead(II) deposition and stripping in the presence of copper on a gold electrode modified with 2,2′-bipyridyl in polyaniline 69
Werner, T., see Cajlakovic, M. 207
Wood, M., see Lipe, L.L. 287
Wu, H.-L., see Lin, F.-M. 111
Wu, T., see Fu, Y. 61

Xie, H.-M., see Li, Y.-S. 315
Xu, F., see Zhu, M. 199

Yamamoto, K.
—, Oka, M. and Murakami, H.
Spectrophotometric determination of trace ionic and non-ionic surfactants based on a collection on a membrane filter as the ion associate of the surfactant with Erythrosine B 83
Yang, W., see Gao, J. 159
Ye, X., see Zhu, M. 199

Zagatto, E.A.G., see Carneiro, J.M.T. 327
Zernov, V.V., see Pletnev, I.V. 131
Zhang, J., see Spolnik, Z. 245
Zhang, X., see Gao, J. 159
Zhu, M.
—, Liu, M., Shi, G., Xu, F., Ye, X., Chen, J., Jin, L. and Jin, J.
Novel nitric oxide microsensor and its application to the study of smooth muscle cells 199